



PRODUCT DATA SHEET

RED RUSH READILY BIODEGRADABLE CLEANER

PRODUCT DESCRIPTION

RED RUSH is designed to seek out hydrocarbons, break them down, and prevent them from sticking to other surfaces while being washed away. Remediates hydrocarbons such as oil and grease as it is being washed off equipment.

- Safe for workers with minimal PPE equipment requirements when handling.
- May be used at ambient temperatures to dramatically reduce energy costs.
- Incorporates a balance of detergents and surfactants to provide more effective cleaning.

APPLICATIONS

RED RUSH can be mixed with water before use. Concentrations will vary based upon the type and amount of dirt to be removed and method of application. Please follow the guidelines below, using one-part **RED RUSH** to the corresponding percentage of chemical to water:

Applications/Diluted		Applications/Diluted		Applications/Diluted	
Oil on water	50%	Machines	30%	Floor Scrubbers	20%
Oil on soil	100%	Pressure Washers	30%	Mop Buckets	20%

HAZARDS

"Empty" containers retain residue (liquid and/or vapor) and can be dangerous. Do not pressure, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks, or other sources of ignition. "Empty;" drums should be completely drained, properly bunged, and promptly returned to a drum re-conditioner. Avoid prolonged contact with skin and frequently change soiled clothing. In case of contact, wash thoroughly with soap and water for 15 minutes or until the irritation subsides. The formation of mists should be avoided. Do not take internally. If swallowed, do not induce vomiting. Call physician or Poison Control Center immediately. Keep out of reach of children. Not recommended for "breathing air" or hydrocarbon oils.

Distributed By:



3820 Kermit Hwy
Odessa, TX 79764
Phone: (432) 599-6334
eMail: info@pqstx.us
www.pqstx.us

Manufactured By



Advanced Research &
Development in Lubricants and
Chemicals

Blended & Packed in an
ISO 12001-2004
Registered Facility

Sterrex Industries
Proudly Represented by



Manufacturing Rep.
info@theresherind.com

TECHNICAL DATA

TEST PROCEDURE

RESULTS (TYPICAL)

Stock Code	Red Rush
pH as supplied	11.9
Viscosity 100°C, cSt	D445 N/A
Viscosity 40°C, cSt	D445 N/A
Viscosity 100°F, SUS	D445 N/A
Viscosity 210°F, SUS	D445 N/A
Stability	Stable
Specific Gravity (g/ml)	D1298 1.198
Density, (lb./gal)	D1298 10.0
Color	D1500 Red
Freezing Point, °C (°F) (COC)	D92 0 (32)
Boiling Point, °C (°F) (COC)	D92 100 (212)
Incompatibility (material to avoid)	Strong acid
Odor	Mild
Percent Volatile by wt.	>90%
Appearance	Liquid
Biodegradable *	Readily

*see Safety Data Sheet

(A/16.6/90)

The values shown here are typical of current production. All of them may vary within modest ranges.

The information contained herein is accurate to the best of our knowledge at the time of printing. It is supplied upon the express condition that the customer or user is responsible for determining the product's suitability for a particular purpose. Products purchased from your local distributor are subject to the terms and conditions set out in the sales contract, quotation, warranty and/or order acknowledgement.

HEALTH AND SAFETY INFORMATION

For recommendations on safe handling and use of these products, please refer to the Safety Data Sheet (SDS), which is available upon request through your local distributor.



Severe-Service Lubricants & Chemicals

KICKZONE Oilfield Products are manufactured by **Sterrex Industries** * Blended and Packaged in a registered facility. **KICK ZONE**, all rights reserved. **KICK ZONE** logo is a registered trademark of **Sterrex Industries**.

Document Red Rush • Revised 11/21 • RR